



DarCole Products, Inc.

1940 Hwy 41 South  
Sebree, KY 42455  
P 270.826.6499  
F 270.831.2288  
www.darcole.com

*"Concrete Additives for Cement Attitudes"*

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND COMPANY INFORMATION**

Product Identification

- Trade Name: DAW 661
- Common Use: Viscosity Modifying Underwater Placement Concrete Admixture
- Restriction on Use: Intended for industrial and professional users
- CAS#: Mixture

Company Information

- DarCole Products, Inc.  
1940 Hwy 41 South  
Sebree, KY 42455  
270-826-6499

Emergency Number-(serviced 24 hours)

- CHEMTREC 800-424-9300

**2. HAZARDS IDENTIFICATION**

Classification of substance or mixture:

Eye Irritation	Category 2A	Causes serious eye irritation
----------------	-------------	-------------------------------

Label Elements: This material requires a hazard warning label in accordance with GHS criteria.



Pictogram:

Signal Word: **WARNING**

Hazard Statement(s):

H319: Causes serious eye irritation

Precautionary statement(s):

P280: Wear eye protection/face protection

P264: Wash with plenty of water and soap thoroughly after handling

Precautionary statements (response):

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified: Not applicable

### 3. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Per 2012 OSHA Hazard Communication Standard 29 CFR1910.1200

<b>Components:</b>		
Chemical Name:	CAS#:	Content
Sodium Hydroxide 50%	1310-73-2	1%

### 4. FIRST AID MEASURES

Skin: Remove contaminated clothing. Wash affected area thoroughly with soap and water. If irritation persists, seek medical attention.

Inhalation: Move person away from exposure. If having difficulty breathing, administer oxygen. If breathing has stopped, administer artificial respiration and seek medical attention.

Eyes: Flush eyes with water lifting upper and lower lids occasionally for 15 minutes. If irritation persists, seek medical attention.

Ingestion: Contact physician or Poison Control Center (PCC) immediately. Do NOT induce vomiting unless instructed to do by physician or PCC.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use extinguishing media suitable for surrounding fire

Unsuitable extinguishing media: Water jet

Specific hazards in case of fire: Carbon dioxide, carbon monoxide, harmful vapors, nitrogen oxides, fumes/smoke, carbon black

Special protective equipment required for firefighting: Wear self-contained breathing apparatus (SCBA)

Additional information for firefighters: None

### 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Prevent material from entering drains, septic systems, water sources, etc. by the use of dikes, absorbent materials and booms.

Personal precautions, protective equipment and emergency procedures:

- Wear appropriate PPE as needed
- Keep unprotected persons away

Material containment and clean up: Contain material with dikes. Vacuum up spilled material or use absorbent media. Remove spilled material to storage for proper disposal. Dispose of in accordance with local, state and federal regulations. Rinse residual stain with water.

### 7. HANDLING AND STORAGE

Information about protections against explosions and fires: No special measures required if material is stored and used correctly.

Precautions for safe handling: No special handling required if material is used correctly. Avoid aerosol formation and wear proper PPE.

Information about safe storage: Protect material from temperatures under 32°F (0°C)

Shelf Life: 18 months

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTIONS

Additional information about exposure controls: No further data; see section 7

Components with limit values that require monitoring at the workplace: None

PPE (personal protective equipment) and hygienic measures:

- Wear ANSI approved safety glasses or goggles to protect eyes.
- Wear latex or rubber gloves to protect skin.
- Wash hands thoroughly before breaks and at end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### General Information:

- Physical state: Thick liquid
- Color: Tan
- Odor: None
- Odor Threshold: Not available

### Physical Properties:

- pH value (@70°F): 7.00-10.50
- Specific gravity (@70°F): 1.01
- Bulk density: Not available
- Boiling point: 212°F/100°C
- Freezing point/Melting point: 32°F/0°C
- Decomposition temperature: Not available
- Vapor pressure: Not available
- Vapor density: Not available
- Evaporation rate: Not available
- VOC (w/w): 0%
- Solubility in / Miscibility with water: 100%
- Partition Coefficient (n-octanol/water): Not available
- Auto ignition: Material is not self-igniting
- Flash point: Material is non-flammable
- Lower/Upper Flammability Limits: Not applicable
- Viscosity: Not available
- Danger of Explosion: Material does not present an explosion hazard

## 10. STABILITY AND REACTIVITY

Material stability: Material is stable and not sensitive to mechanical impact.

Hazardous decomposition products: None expected during normal storage, handling and use

Incompatible materials to avoid: None known

Possibility of hazardous reactions: None known

## 11. TOXICOLOGICAL INFORMATION

Routes for exposure for solids and liquids are ingestion and inhalation but may include eye and skin contact.

Acute toxicity: This product has not been tested for toxicity. Toxicity is based on data derived from individual components.

- Dermal: non-toxic for single skin contact
- Inhalation: non-toxic by inhalation
- Ingestion: non-toxic after single ingestion
- Corrosion/irritation: causes serious eye irritation

Chronic toxicity: This product has not been tested for toxicity. Based on the properties of the individual components, the classification criteria are not met.

- Repeated dose: based on available data, the classification criteria are not met
- Genetic: based on available data, the classification criteria are not met
- Carcinogenicity: based on available data, the classification criteria are not met
- Reproductive: based on available data, the classification criteria are not met
- Teratogenicity: based on available data, the classification criteria are not met

## 12. ECOLOGICAL INFORMATION

**DAW 661**  
**DarCole Anti Washout**  
**Safety Data Sheet**

Based on available data, potential for environmental toxicity is low; however, discharge to the environment should be avoided.

Ecotoxicity: product is unlikely harmful to aquatic life

Persistence and degradability: product expected to degrade in one month or less

Bioaccumulative potential: there is no evidence to suggest bioaccumulation will occur

Mobility in soil: accidental spillage may lead to penetration in the soil and groundwater, however; there is no evidence that this would cause adverse ecological effects

### **13. DISPOSAL CONSIDERATIONS**

In its manufactured form this material is not considered a hazardous waste. Dispose of in accordance with local, state and federal regulations.

### **14. TRANSPORT INFORMATION**

Material is not regulated for transport.

### **15. REGULATORY INFORMATION**

- Sara 302 (extremely hazardous materials): not applicable
- Sara 311/312: Acute health hazard
- Sara 313: Not applicable
- TSCA: All components are listed or exempt
- California Prop. 65: This product does not contain any chemicals known to the state of California to cause cancer, birth or any other reproductive defects.

### **16. OTHER INFORMATION**

This information is based on our current knowledge and is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of DarCole Products, Inc.'s knowledge, or is obtained from sources believed by DarCole Products, Inc. to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. DarCole Products, Inc. assumes no responsibility for injuries proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the material.